

In the Claims

For the convenience of the Examiner, all pending claims are set forth below, whether or not an amendment is made. Please amend the claims as follows:

1. (Currently Amended) A method for simulating a flow field, the method comprising:

receiving a set of user inputs associated with a flow field;

electronically determining a set of initial conditions for the flow field based at least on the received set of user inputs;

electronically generating a grid comprising a plurality of cells, each cell associated with a set of variables ~~for~~ describing ~~an unsteady~~ a portion of the flow field at that cell;

at each of a predetermined plurality of steps, using a computerized computational fluid dynamics (CFD) solver to calculate ~~calculating~~ a value for each variable ~~of~~ associated with each cell ~~from~~ based at least on a previous value calculated at the previous step for that variable associated with that cell ~~at each period for a predetermined number of periods~~ by applying a flow field function to the previous value, at least a portion of the calculated values being calculated based at least on the set of electronically determined initial conditions;

electronically recording the values calculated at periodic ones of the plurality of steps such that the values calculated at only a portion of the steps are recorded;

electronically averaging the ~~calculated~~ values recorded at the periodic steps for each variable of each cell to yield an averaged value for each variable; and

determining the ~~unsteady~~ flow field from the averaged values.

2. (Original) The method of Claim 1, wherein the grid describes a bay of an aircraft.

3. (Original) The method of Claim 1, further comprising determining a transient period for the values.

4. (Original) The method of Claim 1, wherein the flow field function comprises a Navier-Stokes function.

5. (Original) The method of Claim 1, wherein:
each period comprises a plurality of steps; and
calculating the value for each variable of each cell comprises:
 computing the value for each variable of each cell at each step; and
 recording the value at a predetermined number of steps.

6. (Original) The method of Claim 1, wherein the periods for the cells are substantially equivalent.

7. (Original) The method of Claim 1, wherein a larger cell has a period less than a period for a smaller cell.

8. (Original) The method of Claim 1, further comprising:
adjusting the averaged values to a survey grid; and
applying a simulation process to the adjusted values.

9. (Original) The method of Claim 1, wherein the set of variables comprises at least one velocity variable, a pressure variable, and a temperature variable.

10. (Original) The method of Claim 1, wherein the set of variables comprises at least one momentum variable, a density variable, and an energy variable.

11. (Currently Amended) A method for simulating a flow field, the method comprising:

receiving a set of user inputs associated with a flow field;

electronically determining a set of initial conditions for the flow field based at least on the received set of user inputs;

electronically generating a grid comprising a plurality of cells, each cell associated with a set of variables ~~for~~ describing a portion of the flow field at that cell;

at each of a predetermined plurality of periods, calculating a value for each variable ~~of~~ associated with each cell ~~from~~ based at least on a previous value calculated at the previous period for that variable associated with that cell ~~at each period for a predetermined number of periods~~ by applying a Navier-Stokes function to the previous value, at least a portion of the calculated values being calculated based at least on the set of electronically determined initial conditions, wherein a larger cell has a period less than a period for a smaller cell;

electronically recording the values calculated at periodic ones of the plurality of steps such that the values calculated at only a portion of the steps are recorded;

electronically averaging the ~~calculated~~ values recorded at the periodic steps for each variable of each cell to yield an averaged value for each variable;

adjusting the averaged values to a survey grid; and

applying a simulation process to the adjusted values.

12. (Original) The method of Claim 11, wherein the grid describes a bay of an aircraft.

13. (Original) The method of Claim 11, further comprising determining a transient period for the values.

14. (Original) The method of Claim 11, wherein:
each period comprises a plurality of steps; and
calculating the value for each variable of each cell comprises:
 computing the value for each variable of each cell at each step; and
 recording the value at a predetermined number of steps.
15. (Original) The method of Claim 11, wherein the set of variables comprises at least one velocity variable, a pressure variable, and a temperature variable.
16. (Original) The method of Claim 11, wherein the set of variables comprises at least one momentum variable, a density variable, and an energy variable.

17. **(Currently Amended)** A system for simulating a flow field, the system comprising:
a grid generator electronically generating a grid comprising a plurality of cells, each cell associated with a set of variables ~~for~~ describing a portion of the flow field at that cell;
a flow field module coupled to the grid generator, the flow field module using a computerized computational fluid dynamics (CFD) solver to calculate, at each of a predetermined plurality of steps, calculating a value for each variable ~~of~~ associated with each cell ~~from~~ based at least on a previous value calculated at the previous step for that variable associated with that cell at each period for a predetermined number of periods;
a recording module operable to electronically record the values calculated at periodic ones of the plurality of steps such that the values calculated at only a portion of the steps are recorded; and
an averaging module coupled to the flow field module, the averaging module electronically averaging the ~~calculated~~ values recorded at the periodic steps for each variable to yield an averaged value for each variable.
18. **(Original)** The system of Claim 17 wherein the flow field module calculates a value for each variable by applying a flow field function to the previous value.
19. **(Original)** The system of Claim 18, wherein the flow field function comprises a Navier-Stokes function.
20. **(Original)** The system of Claim 17, wherein the periods for the cells are substantially equivalent.
21. **(Original)** The system of Claim 17, wherein a larger cell has a period less than a period for a smaller cell.

22. (Original) The system of Claim 17, further comprising:
- an interpolation module coupled to the averaging module, the interpolation module adjusting the averaged values to a survey grid; and
 - a simulation module coupled to the interpolation module, the simulation module applying a simulation process to the adjusted values.

23. **(Currently Amended)** A system for simulating a flow field, the system comprising:

a grid generator electronically generating a grid comprising a plurality of cells, each cell associated with a set of variables ~~for~~ describing a portion of the flow field at that cell;

a flow field module coupled to the grid generator, the flow field module calculating, at each of a predetermined plurality of periods, a value for each variable ~~of~~ associated with each cell ~~from~~ based at least on a previous value calculated at the previous period for that variable associated with that cell at each period for a predetermined number of periods by applying a Navier-Stokes function to the previous value, at least a portion of the calculated values being calculated based at least on the set of electronically determined initial conditions, wherein a larger cell has a period less than a period for a smaller cell;

an averaging module coupled to the flow field module, the averaging module electronically averaging the ~~calculated~~ values recorded at the periodic steps for each variable to yield an averaged value for each variable;

an interpolation module coupled to the averaging module, the interpolation module adjusting the averaged values to a survey grid; and

a simulation module coupled to the interpolation module, the simulation module applying a simulation process to the adjusted values.